

Analisi per la determinazione dei residui di fitofarmaci nel **MIELE, CERA D'API, POLLINE, PROPOLI, e API MORTE** per avvelenamento

| PARAMETRO | CODICE (1) | U.M. | LOQ (2) | TECNICA DI PROVA | PREZZO € IVA esclusa | ACCREDITAMENTO (3) |
|-------------------------------------|------------|-------|--------------------|------------------|----------------------|--------------------|
| Multiresiduale fitofarmaci GC-MS/MS | MDP/16 GC | mg/kg | di sotto riportati | GC-MS/MS | 125,00 | no |
| Multiresiduale fitofarmaci LC-MS/MS | MDP/16 LC | mg/kg | di sotto riportati | LC-MS/MS | 125,00 | no |

ACCERTAMENTO MORTALITÀ API: si preleva tempestivamente un campione costituito da almeno 250 api morte (meglio un migliaio, corrispondente a circa 100 g), evitando la contaminazione con terriccio o erba. Prima della consegna al laboratorio, i campioni devono essere conservati a basse temperature e al riparo della luce, in modo da evitare processi di decomposizione microbiologica e di degradazione dei principi attivi. Si consiglia di consegnare il campione in contenitori muniti di siberine per il mantenimento delle basse temperature. L'imballaggio dei campioni, inoltre, deve essere effettuato con materiale permeabile all'aria (per es. cartone o legno) per evitare lo sviluppo di muffe.

MIELE, CERA D'API, PROPOLI, POLLINE: La quantità minima richiesta è di 10 g. Nel caso di campioni di polline fresco, si consiglia di consegnare il campione in contenitori muniti di siberine per il mantenimento delle basse temperature

- (1) Codice identificativo della prova
- (2) Limite di quantificazione (ove applicabile)
- (3) Accredito ACCREDIA n° 0196 L

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| 2,4D | LC-MS/MS | 0.010 mg/kg |
| 2,4'-Methoxychlor (methoxychlor met.) | GC-MS/MS | 0.010 mg/kg |
| 2-Phenylphenol | GC-MS/MS | 0.010 mg/kg |
| 4,4'-Methoxychlor-olefin (methoxychlor met.) | GC-MS/MS | 0.010 mg/kg |
| 6-Chloronicotinic acid (Acetamiprid/Imidacloprid met.) | LC-MS/MS | 0.010 mg/kg |
| Abamectin (sum of avermectin B1a and avermectin B1b) | LC-MS/MS | 0.050 mg/kg |
| Acephate | LC-MS/MS | 0.010 mg/kg |
| Acequinocil | GC-MS/MS | 0.010 mg/kg |
| Acetamiprid | LC-MS/MS | 0.010 mg/kg |
| Acetamiprid-N-desmethyl (Acetamiprid met.) | LC-MS/MS | 0.010 mg/kg |
| Acetochlor | GC-MS/MS | 0.010 mg/kg |
| Acibenzolar-S-methyl | LC-MS/MS | 0.010 mg/kg |
| Acrinathrin | GC-MS/MS | 0.010 mg/kg |
| Alachlor | GC-MS/MS | 0.010 mg/kg |
| Alanycarb | LC-MS/MS | 0.010 mg/kg |
| Aldicarb | LC-MS/MS | 0.010 mg/kg |
| Aldicarb sulfoxide (aldicarb met.) | LC-MS/MS | 0.010 mg/kg |
| Aldicarb sulfone (aldicarb met.) | LC-MS/MS | 0.010 mg/kg |
| Aldrin | GC-MS/MS | 0.010 mg/kg |
| Bioallethrin | GC-MS/MS | 0.100 mg/kg |
| Allidochlor | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Ametoctradin | LC-MS/MS | 0.010 mg/kg |
| Ametryn | LC-MS/MS | 0.010 mg/kg |
| Aminocarb | LC-MS/MS | 0.010 mg/kg |
| Amitraz | LC-MS/MS | 0.030 mg/kg |
| Ancymidol | LC-MS/MS | 0.010 mg/kg |
| Anilofos | LC-MS/MS | 0.010 mg/kg |
| Anthraquinone | GC-MS/MS | 0.010 mg/kg |
| Aramite | LC-MS/MS | 0.010 mg/kg |
| Atrazine | GC-MS/MS | 0.010 mg/kg |
| Azaconazole | LC-MS/MS | 0.010 mg/kg |
| Azamethiphos | LC-MS/MS | 0.010 mg/kg |
| Azinphos ethyl | GC-MS/MS | 0.010 mg/kg |
| Azinphos methyl | GC-MS/MS | 0.010 mg/kg |
| Azoxystrobin | LC-MS/MS | 0.010 mg/kg |
| Benalaxyl | LC-MS/MS | 0.010 mg/kg |
| Bendiocarb | LC-MS/MS | 0.010 mg/kg |
| Benfluralin | GC-MS/MS | 0.010 mg/kg |
| Benfuracarb | LC-MS/MS | 0.010 mg/kg |
| Benodanil | LC-MS/MS | 0.010 mg/kg |
| Benoxacor | LC-MS/MS | 0.010 mg/kg |
| Bensulfuron methyl | LC-MS/MS | 0.010 mg/kg |
| Bentazone | LC-MS/MS | 0.010 mg/kg |
| Benzoximate | LC-MS/MS | 0.010 mg/kg |
| Benzoylprop-Ethyl | LC-MS/MS | 0.010 mg/kg |
| alpha-Hexachlorocyclohexane | GC-MS/MS | 0.010 mg/kg |
| beta-Hexachlorocyclohexane | GC-MS/MS | 0.010 mg/kg |
| delta-Hexachlorocyclohexane | GC-MS/MS | 0.010 mg/kg |
| gamma-Hexachlorocyclohexane (Lindane) | GC-MS/MS | 0.010 mg/kg |
| epsilon-Hexachlorocyclohexane | GC-MS/MS | 0.010 mg/kg |
| Bifenazate | LC-MS/MS | 0.010 mg/kg |
| Bifenthrin | GC-MS/MS | 0.010 mg/kg |
| Biphenyl | GC-MS/MS | 0.010 mg/kg |
| Bitertanol | LC-MS/MS | 0.010 mg/kg |
| Boscalid | GC-MS/MS | 0.010 mg/kg |
| Boscalid 5-OH (Boscalid met.) | LC-MS/MS | 0.010 mg/kg |
| Brodifacoum | LC-MS/MS | 0.010 mg/kg |
| Bromacil | LC-MS/MS | 0.010 mg/kg |
| Bromfenvinphos | GC-MS/MS | 0.010 mg/kg |
| Bromfenvinphos methyl | GC-MS/MS | 0.050 mg/kg |
| Bromophos ethyl | GC-MS/MS | 0.010 mg/kg |
| Bromophos methyl | GC-MS/MS | 0.010 mg/kg |
| Bromopropylate | GC-MS/MS | 0.010 mg/kg |
| Bromoxynil | LC-MS/MS | 0.010 mg/kg |
| Bromuconazole (sum of cis- and trans- isomers) | LC-MS/MS | 0.010 mg/kg |
| Bupirimate | GC-MS/MS | 0.010 mg/kg |
| Buprofezin | LC-MS/MS | 0.010 mg/kg |
| Butachlor | LC-MS/MS | 0.010 mg/kg |
| Butafenacil | LC-MS/MS | 0.010 mg/kg |
| Butoxycarboxim (butocarboxin met.) | LC-MS/MS | 0.010 mg/kg |
| Butoxycarboxim sulfoxide | LC-MS/MS | 0.010 mg/kg |
| Butocarboxim | LC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Cadusafos | LC-MS/MS | 0.010 mg/kg |
| Captafol | GC-MS/MS | 0.100 mg/kg |
| Captan | GC-MS/MS | 0.010 mg/kg |
| Carbaryl | LC-MS/MS | 0.010 mg/kg |
| Carbendazim | LC-MS/MS | 0.010 mg/kg |
| Carbetamide | LC-MS/MS | 0.010 mg/kg |
| Carbofuran | LC-MS/MS | 0.010 mg/kg |
| 3-Hydroxycarbofuran (carbofuran met.) | LC-MS/MS | 0.010 mg/kg |
| Carbophenothion | GC-MS/MS | 0.010 mg/kg |
| Carboxin | LC-MS/MS | 0.010 mg/kg |
| Carfentrazone ethyl | GC-MS/MS | 0.010 mg/kg |
| Carpropamid | LC-MS/MS | 0.010 mg/kg |
| Chlorantraniliprole | LC-MS/MS | 0.010 mg/kg |
| Chlorbenside | GC-MS/MS | 0.010 mg/kg |
| Chlorbromuron | LC-MS/MS | 0.010 mg/kg |
| Chlordane (sum of cis- and trans- isomers) | GC-MS/MS | 0.010 mg/kg |
| cis-Chlordane | GC-MS/MS | 0.010 mg/kg |
| trans-Chlordane | GC-MS/MS | 0.010 mg/kg |
| Chlorfenapyr | GC-MS/MS | 0.010 mg/kg |
| Chlorfenson | GC-MS/MS | 0.010 mg/kg |
| Chlorfenvinphos | GC-MS/MS | 0.010 mg/kg |
| Chlorfluazuron | LC-MS/MS | 0.010 mg/kg |
| Chloridazon | LC-MS/MS | 0.010 mg/kg |
| Chlormequat | LC-MS/MS | 0.010 mg/kg |
| Chlorobenzilate | GC-MS/MS | 0.010 mg/kg |
| Chloroneb | GC-MS/MS | 0.010 mg/kg |
| Chlorothalonil | GC-MS/MS | 0.010 mg/kg |
| Chlorotoluron | LC-MS/MS | 0.010 mg/kg |
| Chloroxuron | LC-MS/MS | 0.010 mg/kg |
| Chlorpropham | GC-MS/MS | 0.010 mg/kg |
| Chlorpyrifos ethyl | GC-MS/MS | 0.010 mg/kg |
| Chlorpyrifos methyl | GC-MS/MS | 0.010 mg/kg |
| Chlorthal dimethyl | GC-MS/MS | 0.010 mg/kg |
| Chlorthiophos | GC-MS/MS | 0.010 mg/kg |
| Chlozolate | GC-MS/MS | 0.010 mg/kg |
| Cinosulfuron | LC-MS/MS | 0.010 mg/kg |
| Clethodim | LC-MS/MS | 0.010 mg/kg |
| Clofentezine | LC-MS/MS | 0.010 mg/kg |
| Clomazone | GC-MS/MS | 0.010 mg/kg |
| Clothianidin | LC-MS/MS | 0.010 mg/kg |
| Coumafos | GC-MS/MS | 0.010 mg/kg |
| Crotoxyphos | LC-MS/MS | 0.010 mg/kg |
| Cumyluron | LC-MS/MS | 0.010 mg/kg |
| Cyanazine | LC-MS/MS | 0.010 mg/kg |
| Cyantraniliprole | LC-MS/MS | 0.010 mg/kg |
| Cyazofamid | LC-MS/MS | 0.010 mg/kg |
| Cycloate | GC-MS/MS | 0.010 mg/kg |
| Cycloheximide | LC-MS/MS | 0.010 mg/kg |
| Cycloxydim | LC-MS/MS | 0.010 mg/kg |
| Cycluron | LC-MS/MS | 0.010 mg/kg |
| Cyflufenamid | LC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Cyfluthrin (sum of isomers) | GC-MS/MS | 0.010 mg/kg |
| lambda-Cyhalothrin | GC-MS/MS | 0.010 mg/kg |
| Cymoxanil | LC-MS/MS | 0.010 mg/kg |
| Cypermethrin (sum of isomers) | GC-MS/MS | 0.010 mg/kg |
| Cyproconazole | LC-MS/MS | 0.010 mg/kg |
| Cyprodinil | GC-MS/MS | 0.010 mg/kg |
| Cyromazine | LC-MS/MS | 0.010 mg/kg |
| Cymiazole | GC-MS/MS | 0.010 mg/kg |
| DEET (Diethyltoluamide) | GC-MS/MS | 0.010 mg/kg |
| o,p'-DDD | GC-MS/MS | 0.010 mg/kg |
| p,p'-DDD | GC-MS/MS | 0.010 mg/kg |
| o,p'-DDE | GC-MS/MS | 0.010 mg/kg |
| p,p'-DDE | GC-MS/MS | 0.010 mg/kg |
| o,p'-DDT | GC-MS/MS | 0.010 mg/kg |
| p,p'-DDT | GC-MS/MS | 0.010 mg/kg |
| Deltamethrin | GC-MS/MS | 0.010 mg/kg |
| Demeton-S-methyl | LC-MS/MS | 0.010 mg/kg |
| Demeton-S-methylsulfone | LC-MS/MS | 0.010 mg/kg |
| Desmedipham | LC-MS/MS | 0.010 mg/kg |
| Desmetryn | LC-MS/MS | 0.010 mg/kg |
| Diallate | GC-MS/MS | 0.010 mg/kg |
| Diazinon | GC-MS/MS | 0.010 mg/kg |
| Dichlofluanid | GC-MS/MS | 0.010 mg/kg |
| 3,4-Dichloroaniline | GC-MS/MS | 0.010 mg/kg |
| 4,4'-Dichlorobenzophenone (dicofol met.) | GC-MS/MS | 0.010 mg/kg |
| Dichlobenil | GC-MS/MS | 0.010 mg/kg |
| Diclobutrazol | LC-MS/MS | 0.010 mg/kg |
| Diclofop methyl | LC-MS/MS | 0.010 mg/kg |
| Dicloran | GC-MS/MS | 0.010 mg/kg |
| Dicrotophos | LC-MS/MS | 0.010 mg/kg |
| Dieldrin | GC-MS/MS | 0.010 mg/kg |
| Diethofencarb | LC-MS/MS | 0.010 mg/kg |
| Difenacoum | LC-MS/MS | 0.010 mg/kg |
| Difenoconazole | LC-MS/MS | 0.010 mg/kg |
| Diflubenzuron | LC-MS/MS | 0.010 mg/kg |
| Dimefuron | LC-MS/MS | 0.010 mg/kg |
| Dimethachlor | GC-MS/MS | 0.010 mg/kg |
| Dimethametryn | LC-MS/MS | 0.010 mg/kg |
| Dimethenamid | LC-MS/MS | 0.010 mg/kg |
| Dimethoate | LC-MS/MS | 0.010 mg/kg |
| Dimethomorph | LC-MS/MS | 0.010 mg/kg |
| Dimoxystrobin | LC-MS/MS | 0.010 mg/kg |
| Diniconazole (sum of isomers) | LC-MS/MS | 0.010 mg/kg |
| Dinotefuran | LC-MS/MS | 0.010 mg/kg |
| Dioxacarb | LC-MS/MS | 0.010 mg/kg |
| Diphenamid | GC-MS/MS | 0.010 mg/kg |
| Diphenylamine | GC-MS/MS | 0.010 mg/kg |
| Disulfoton | GC-MS/MS | 0.010 mg/kg |
| Dithiopyr | LC-MS/MS | 0.010 mg/kg |
| Diuron | LC-MS/MS | 0.010 mg/kg |
| 2,4-Dimethylaniline (DMA) (amitraz met.) | LC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| N-(2,4-Dimethylphenyl)formamide (DMF) (amitraz met.) | GC-MS/MS | 0.010 mg/kg |
| N-(2,4-Dimethylphenyl)-N-methylformamide (DMPF) (amitraz met.) | LC-MS/MS | 0.010 mg/kg |
| Dimethylaminosulfotoluidine (DMST) (Tolyfluamid met.) | GC-MS/MS | 0.050 mg/kg |
| DNOC | LC-MS/MS | 0.001 mg/kg |
| Dodemorph | LC-MS/MS | 0.010 mg/kg |
| Dodine | LC-MS/MS | 0.001 mg/kg |
| Doramectin | LC-MS/MS | 0.010 mg/kg |
| Edifenphos | GC-MS/MS | 0.010 mg/kg |
| Emamectin benzoate (sum of B1a and B1b) | LC-MS/MS | 0.010 mg/kg |
| Emamectin benzoate b1a | LC-MS/MS | 0.010 mg/kg |
| Emamectin benzoate b1b | LC-MS/MS | 0.010 mg/kg |
| Endosulfan-ether (endosulfan met.) | GC-MS/MS | 0.010 mg/kg |
| Endosulfan (sum of alpha-, beta- isomers, -ether and-sulphate) | GC-MS/MS | 0.010 mg/kg |
| Endosulfan sulfate (endosulfan met.) | GC-MS/MS | 0.010 mg/kg |
| Endrin | GC-MS/MS | 0.010 mg/kg |
| Endrin-aldehyde | GC-MS/MS | 0.010 mg/kg |
| Endrin-ketone | GC-MS/MS | 0.010 mg/kg |
| EPN | GC-MS/MS | 0.010 mg/kg |
| Epoxiconazole | LC-MS/MS | 0.010 mg/kg |
| Eprinomectin | LC-MS/MS | 0.010 mg/kg |
| Esfenvalerate | GC-MS/MS | 0.010 mg/kg |
| Esprocarb | LC-MS/MS | 0.001 mg/kg |
| Etaconazole | LC-MS/MS | 0.010 mg/kg |
| Ethalfuralin | GC-MS/MS | 0.010 mg/kg |
| Ethiofencarb | LC-MS/MS | 0.010 mg/kg |
| Ethiofencarb sulfone | LC-MS/MS | 0.010 mg/kg |
| Ethiofencarb sulfoxide | LC-MS/MS | 0.010 mg/kg |
| Ethion | GC-MS/MS | 0.010 mg/kg |
| Ethiprole | LC-MS/MS | 0.010 mg/kg |
| Ethirimol | LC-MS/MS | 0.010 mg/kg |
| Ethofumesate | LC-MS/MS | 0.010 mg/kg |
| Ethoprophos | LC-MS/MS | 0.010 mg/kg |
| Ethoxyquin | LC-MS/MS | 0.001 mg/kg |
| Ethylan | GC-MS/MS | 0.010 mg/kg |
| Etofenprox | GC-MS/MS | 0.010 mg/kg |
| Etoxazole | LC-MS/MS | 0.010 mg/kg |
| Etridazole | GC-MS/MS | 0.010 mg/kg |
| Etrimfos | LC-MS/MS | 0.001 mg/kg |
| Famoxadone | LC-MS/MS | 0.010 mg/kg |
| Fenamidone | LC-MS/MS | 0.010 mg/kg |
| Fenamiphos | GC-MS/MS | 0.010 mg/kg |
| Fenarimol | GC-MS/MS | 0.010 mg/kg |
| Fenazaquin | LC-MS/MS | 0.010 mg/kg |
| Fenbuconazole | LC-MS/MS | 0.010 mg/kg |
| Fenchlorphos | GC-MS/MS | 0.010 mg/kg |
| Fenhexamid | LC-MS/MS | 0.010 mg/kg |
| Fenitrothion | GC-MS/MS | 0.010 mg/kg |
| Fenobucarb | LC-MS/MS | 0.010 mg/kg |
| Fenoxanil | LC-MS/MS | 0.010 mg/kg |
| Fenoxycarb | LC-MS/MS | 0.010 mg/kg |
| Fenpropathrin | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|----------------------------------|------------------|-------------|
| Fenpropimorph | LC-MS/MS | 0.010 mg/kg |
| Fenpyroximate | LC-MS/MS | 0.010 mg/kg |
| Fenson | GC-MS/MS | 0.010 mg/kg |
| Fensulfothion | GC-MS/MS | 0.010 mg/kg |
| Fenthion | GC-MS/MS | 0.010 mg/kg |
| Fenthion oxonsulfone | LC-MS/MS | 0.010 mg/kg |
| Fenthion sulfoxide | LC-MS/MS | 0.010 mg/kg |
| Fenuron | LC-MS/MS | 0.010 mg/kg |
| Fenvalerate | GC-MS/MS | 0.010 mg/kg |
| Fipronil | GC-MS/MS | 0.010 mg/kg |
| Fipronil sulfone | LC-MS/MS | 0.010 mg/kg |
| Flazasulfuron | LC-MS/MS | 0.010 mg/kg |
| Flonicamid | LC-MS/MS | 0.010 mg/kg |
| Florasulam | LC-MS/MS | 0.001 mg/kg |
| Fluazifop | LC-MS/MS | 0.010 mg/kg |
| Fluazifop-p-buthyl | GC-MS/MS | 0.010 mg/kg |
| Fluazinam | LC-MS/MS | 0.010 mg/kg |
| Flubendiamide | LC-MS/MS | 0.010 mg/kg |
| Fluchloralin | GC-MS/MS | 0.010 mg/kg |
| Flucythrinate | GC-MS/MS | 0.010 mg/kg |
| Fludioxonil (fludioxinil) | GC-MS/MS | 0.010 mg/kg |
| Flufenacet | LC-MS/MS | 0.010 mg/kg |
| Flufenoxuron | LC-MS/MS | 0.010 mg/kg |
| Flumetsulam | LC-MS/MS | 0.001 mg/kg |
| Fluometuron | LC-MS/MS | 0.010 mg/kg |
| Fluopicolide | LC-MS/MS | 0.010 mg/kg |
| Fuopyram | LC-MS/MS | 0.001 mg/kg |
| Fluoxastrobin | LC-MS/MS | 0.010 mg/kg |
| Fluquinconazole | GC-MS/MS | 0.010 mg/kg |
| Fluridone | GC-MS/MS | 0.010 mg/kg |
| Flurochloridone | LC-MS/MS | 0.001 mg/kg |
| Flusilazole | GC-MS/MS | 0.010 mg/kg |
| Flutolanil | GC-MS/MS | 0.010 mg/kg |
| Flutriafol | GC-MS/MS | 0.010 mg/kg |
| Flumethrin | GC-MS/MS | 0.010 mg/kg |
| Flupyradifurone | LC-MS/MS | 0.010 mg/kg |
| Folpet | GC-MS/MS | 0.010 mg/kg |
| Fonofos | GC-MS/MS | 0.010 mg/kg |
| Forchlorfenuron | LC-MS/MS | 0.010 mg/kg |
| Formetanate | LC-MS/MS | 0.010 mg/kg |
| Formothion | LC-MS/MS | 0.001 mg/kg |
| Fosthiazate | LC-MS/MS | 0.001 mg/kg |
| Fuberidazole | LC-MS/MS | 0.010 mg/kg |
| Furalaxyl | LC-MS/MS | 0.010 mg/kg |
| Furathiocarb | LC-MS/MS | 0.010 mg/kg |
| Griseofulvin | LC-MS/MS | 0.001 mg/kg |
| Halofenozide | LC-MS/MS | 0.010 mg/kg |
| Haloxfop | LC-MS/MS | 0.001 mg/kg |
| Haloxfop methyl | LC-MS/MS | 0.001 mg/kg |
| Heptachlor | GC-MS/MS | 0.010 mg/kg |
| Heptachlor-epoxide (isomer B) | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Heptenophos | LC-MS/MS | 0.010 mg/kg |
| Hexachlorobenzene | GC-MS/MS | 0.010 mg/kg |
| Hexaconazole | LC-MS/MS | 0.010 mg/kg |
| Hexaflumuron | LC-MS/MS | 0.010 mg/kg |
| Hexazinone | GC-MS/MS | 0.010 mg/kg |
| Hexythiazox | LC-MS/MS | 0.010 mg/kg |
| Hydramethylnon | LC-MS/MS | 0.010 mg/kg |
| Icaridin (Picaridin) | GC-MS/MS | 0.010 mg/kg |
| Imazalil | LC-MS/MS | 0.010 mg/kg |
| Imazaquin | LC-MS/MS | 0.010 mg/kg |
| Imazethapyr | LC-MS/MS | 0.010 mg/kg |
| Imibenconazole | LC-MS/MS | 0.010 mg/kg |
| Imidacloprid | LC-MS/MS | 0.010 mg/kg |
| 5-hydroxy imidacloprid (imidacloprid met.) | LC-MS/MS | 0.010 mg/kg |
| Desnitro-imidacloprid (imidacloprid met.) | LC-MS/MS | 0.010 mg/kg |
| Imidacloprid olefin (imidacloprid met.) | LC-MS/MS | 0.010 mg/kg |
| Indoxacarb | LC-MS/MS | 0.010 mg/kg |
| Iodofenphos | GC-MS/MS | 0.010 mg/kg |
| Ioxynil | LC-MS/MS | 0.010 mg/kg |
| Ipconazole | LC-MS/MS | 0.010 mg/kg |
| Iprodione | GC-MS/MS | 0.010 mg/kg |
| Iprovalicarb | LC-MS/MS | 0.010 mg/kg |
| Isazophos | GC-MS/MS | 0.010 mg/kg |
| Isocarbophos | LC-MS/MS | 0.010 mg/kg |
| Isodrin | GC-MS/MS | 0.010 mg/kg |
| Isoprocab | LC-MS/MS | 0.010 mg/kg |
| Isopropalin | GC-MS/MS | 0.010 mg/kg |
| Isoprothiolane | LC-MS/MS | 0.010 mg/kg |
| Isoproturon | LC-MS/MS | 0.010 mg/kg |
| Isoxaben | LC-MS/MS | 0.010 mg/kg |
| Isoxadifen ethyl | LC-MS/MS | 0.010 mg/kg |
| Ivermectin | LC-MS/MS | 0.010 mg/kg |
| Kresoxim methyl | LC-MS/MS | 0.010 mg/kg |
| Lenacil | GC-MS/MS | 0.010 mg/kg |
| Leptophos | GC-MS/MS | 0.010 mg/kg |
| Linuron | GC-MS/MS | 0.010 mg/kg |
| Lufenuron | LC-MS/MS | 0.010 mg/kg |
| Malaaxon (malathion met.) | LC-MS/MS | 0.010 mg/kg |
| Malathion | GC-MS/MS | 0.010 mg/kg |
| Mandipropamid | LC-MS/MS | 0.010 mg/kg |
| MCPA | LC-MS/MS | 0.010 mg/kg |
| Mefenacet | LC-MS/MS | 0.010 mg/kg |
| Mefenpyr diethyl | LC-MS/MS | 0.010 mg/kg |
| Mepanipyrim | LC-MS/MS | 0.010 mg/kg |
| Mepiquat | LC-MS/MS | 0.010 mg/kg |
| Mepronil | LC-MS/MS | 0.010 mg/kg |
| Mesotrione | LC-MS/MS | 0.010 mg/kg |
| Metaflumizone | LC-MS/MS | 0.010 mg/kg |
| Metalaxyl (sum of isomers) | GC-MS/MS | 0.010 mg/kg |
| Metamitron | LC-MS/MS | 0.010 mg/kg |
| Metazachlor | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Metconazole | LC-MS/MS | 0.010 mg/kg |
| Methabenzthiazuron | LC-MS/MS | 0.010 mg/kg |
| Methacrifos | GC-MS/MS | 0.010 mg/kg |
| Methamidophos | LC-MS/MS | 0.010 mg/kg |
| Methiocarb | LC-MS/MS | 0.010 mg/kg |
| Methiocarb sulfone | LC-MS/MS | 0.010 mg/kg |
| Methiocarb sulfoxide | LC-MS/MS | 0.010 mg/kg |
| Methomyl | LC-MS/MS | 0.010 mg/kg |
| Methoprotryne | LC-MS/MS | 0.010 mg/kg |
| Methoxychlor | GC-MS/MS | 0.010 mg/kg |
| Methoxyfenozide | LC-MS/MS | 0.010 mg/kg |
| Metobromuron | LC-MS/MS | 0.010 mg/kg |
| Metolachlor (sum of isomers) | GC-MS/MS | 0.010 mg/kg |
| Metolcarb | LC-MS/MS | 0.010 mg/kg |
| Metosulam | LC-MS/MS | 0.010 mg/kg |
| Metoxuron | LC-MS/MS | 0.010 mg/kg |
| Metrafenone | LC-MS/MS | 0.010 mg/kg |
| Metribuzin | LC-MS/MS | 0.010 mg/kg |
| Metsulfuron methyl | LC-MS/MS | 0.010 mg/kg |
| Mevinphos | GC-MS/MS | 0.010 mg/kg |
| Mexacarbate | LC-MS/MS | 0.010 mg/kg |
| MGK 264 | GC-MS/MS | 0.010 mg/kg |
| Mirex | GC-MS/MS | 0.010 mg/kg |
| Monocrotophos | LC-MS/MS | 0.010 mg/kg |
| Monolinuron | LC-MS/MS | 0.010 mg/kg |
| Moxidectin | LC-MS/MS | 0.010 mg/kg |
| Myclobutanil | GC-MS/MS | 0.010 mg/kg |
| Napropamide | LC-MS/MS | 0.010 mg/kg |
| Neburon | LC-MS/MS | 0.010 mg/kg |
| Nicosulfuron | LC-MS/MS | 0.010 mg/kg |
| Nitenpyram | LC-MS/MS | 0.010 mg/kg |
| Nitralin | GC-MS/MS | 0.010 mg/kg |
| Nitrofen | GC-MS/MS | 0.010 mg/kg |
| Nonachlor (sum of cis- and trans- isomers) | GC-MS/MS | 0.010 mg/kg |
| cis-Nonachlor | GC-MS/MS | 0.010 mg/kg |
| trans-Nonachlor | GC-MS/MS | 0.010 mg/kg |
| Norflurazon | GC-MS/MS | 0.010 mg/kg |
| Novaluron | LC-MS/MS | 0.010 mg/kg |
| Nuarimol | LC-MS/MS | 0.010 mg/kg |
| Ofurace | LC-MS/MS | 0.010 mg/kg |
| Omethoate | LC-MS/MS | 0.010 mg/kg |
| Oxadiazon | GC-MS/MS | 0.010 mg/kg |
| Oxadixyl | LC-MS/MS | 0.010 mg/kg |
| Oxamyl | LC-MS/MS | 0.010 mg/kg |
| Oxycarboxin | LC-MS/MS | 0.010 mg/kg |
| Oxyfluorfen | GC-MS/MS | 0.010 mg/kg |
| Paclobutrazol | GC-MS/MS | 0.010 mg/kg |
| Paraoxon methyl (parathion met.) | GC-MS/MS | 0.010 mg/kg |
| Parathion ethyl | GC-MS/MS | 0.010 mg/kg |
| Parathion methyl | GC-MS/MS | 0.010 mg/kg |
| Pebulate | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|----------------------------------|------------------|-------------|
| Penconazole | GC-MS/MS | 0.010 mg/kg |
| Pencycuron | LC-MS/MS | 0.010 mg/kg |
| Pendimethalin | GC-MS/MS | 0.010 mg/kg |
| Pentachloroaniline | GC-MS/MS | 0.010 mg/kg |
| Pentachloroanisole | GC-MS/MS | 0.010 mg/kg |
| Pentachlorobenzene | GC-MS/MS | 0.010 mg/kg |
| Pentachlorobenzonitrile | GC-MS/MS | 0.010 mg/kg |
| Pentachlorothioanisole | GC-MS/MS | 0.010 mg/kg |
| Permethrin (sum of isomers) | GC-MS/MS | 0.010 mg/kg |
| Phenmedipham | LC-MS/MS | 0.010 mg/kg |
| Phenothrin | GC-MS/MS | 0.010 mg/kg |
| Phenthoate | LC-MS/MS | 0.010 mg/kg |
| Phorate | GC-MS/MS | 0.010 mg/kg |
| Phosalone | GC-MS/MS | 0.010 mg/kg |
| Phosmet | GC-MS/MS | 0.010 mg/kg |
| Phthalimide (Folpet met.) | GC-MS/MS | 0.010 mg/kg |
| Phoxim | LC-MS/MS | 0.010 mg/kg |
| Picoxystrobin | LC-MS/MS | 0.010 mg/kg |
| Piperonyl Butoxide | GC-MS/MS | 0.010 mg/kg |
| Piperophos | LC-MS/MS | 0.010 mg/kg |
| Pirimicarb | LC-MS/MS | 0.010 mg/kg |
| Pirimicarb desmethyl | LC-MS/MS | 0.010 mg/kg |
| Pirimiphos ethyl | GC-MS/MS | 0.010 mg/kg |
| Pirimiphos methyl | GC-MS/MS | 0.010 mg/kg |
| Pretilachlor | GC-MS/MS | 0.010 mg/kg |
| Primisulfuron methyl | LC-MS/MS | 0.010 mg/kg |
| Prochloraz | GC-MS/MS | 0.010 mg/kg |
| Procymidone | GC-MS/MS | 0.010 mg/kg |
| Prodiamine | GC-MS/MS | 0.010 mg/kg |
| Profenofos | GC-MS/MS | 0.010 mg/kg |
| Profluralin | GC-MS/MS | 0.010 mg/kg |
| Promecarb | LC-MS/MS | 0.010 mg/kg |
| Prometon | LC-MS/MS | 0.010 mg/kg |
| Prometryn | LC-MS/MS | 0.010 mg/kg |
| Propachlor | GC-MS/MS | 0.010 mg/kg |
| Propamocarb | LC-MS/MS | 0.010 mg/kg |
| Propanil | GC-MS/MS | 0.010 mg/kg |
| Propaquizafop | LC-MS/MS | 0.010 mg/kg |
| Propargite | GC-MS/MS | 0.010 mg/kg |
| Propazine | LC-MS/MS | 0.010 mg/kg |
| Propetamphos | LC-MS/MS | 0.010 mg/kg |
| Propham | LC-MS/MS | 0.010 mg/kg |
| Propiconazole | LC-MS/MS | 0.010 mg/kg |
| Propisochlor | GC-MS/MS | 0.010 mg/kg |
| Propoxur | LC-MS/MS | 0.010 mg/kg |
| Propyzamide | GC-MS/MS | 0.010 mg/kg |
| Prosulfocarb | LC-MS/MS | 0.010 mg/kg |
| Prothioconazole | LC-MS/MS | 0.010 mg/kg |
| Prothioconazole-destio | LC-MS/MS | 0.010 mg/kg |
| Prothiofos | GC-MS/MS | 0.010 mg/kg |
| Pymetrozine | LC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|--|------------------|-------------|
| Pyracarbolid | LC-MS/MS | 0.010 mg/kg |
| Pyraclifos | GC-MS/MS | 0.010 mg/kg |
| Pyraclostrobin | LC-MS/MS | 0.010 mg/kg |
| Pyrazophos | GC-MS/MS | 0.010 mg/kg |
| Pyridaben | GC-MS/MS | 0.010 mg/kg |
| Pyridaphenthion | GC-MS/MS | 0.010 mg/kg |
| Pyrifenox | LC-MS/MS | 0.010 mg/kg |
| Pyrimethanil | GC-MS/MS | 0.010 mg/kg |
| Pyriproxyfen | GC-MS/MS | 0.010 mg/kg |
| Pyroxsulam | LC-MS/MS | 0.010 mg/kg |
| Quinalphos | GC-MS/MS | 0.010 mg/kg |
| Quinoxifen | LC-MS/MS | 0.010 mg/kg |
| Quintozene | GC-MS/MS | 0.010 mg/kg |
| Quizalofop ethyl | LC-MS/MS | 0.010 mg/kg |
| Quizalofop-P | LC-MS/MS | 0.010 mg/kg |
| Resmethrin | GC-MS/MS | 0.010 mg/kg |
| Rimsulfuron | LC-MS/MS | 0.010 mg/kg |
| Rotenone | LC-MS/MS | 0.010 mg/kg |
| Schradan | LC-MS/MS | 0.010 mg/kg |
| Secbumeton | LC-MS/MS | 0.010 mg/kg |
| Sethoxydim | GC-MS/MS | 0.010 mg/kg |
| Siduron | LC-MS/MS | 0.010 mg/kg |
| Simeconazole | GC-MS/MS | 0.010 mg/kg |
| Simetryn | LC-MS/MS | 0.010 mg/kg |
| Spinetoram | LC-MS/MS | 0.010 mg/kg |
| Spinosad (sum of spinosyn A and spinosyn D) | LC-MS/MS | 0.010 mg/kg |
| Spinosyn A | LC-MS/MS | 0.010 mg/kg |
| Spinosyn D | LC-MS/MS | 0.010 mg/kg |
| Spirodiclofen | LC-MS/MS | 0.010 mg/kg |
| Spiromesifen | LC-MS/MS | 0.010 mg/kg |
| Spirotetramat | LC-MS/MS | 0.010 mg/kg |
| Spirotetramat-keto hydroxy (Spirotetramat met.) | LC-MS/MS | 0.010 mg/kg |
| Spirotetramat-enol (BYI08330) (Spirotetramat met.) | LC-MS/MS | 0.010 mg/kg |
| Spirotetramat enol-glucoside (Spirotetramat met.) | LC-MS/MS | 0.010 mg/kg |
| Spirotetramat mono-OH (Spirotetramat met.) | LC-MS/MS | 0.010 mg/kg |
| Spiroxamine | LC-MS/MS | 0.010 mg/kg |
| Sulfentrazone | LC-MS/MS | 0.010 mg/kg |
| Sulfotep | GC-MS/MS | 0.010 mg/kg |
| Sulfoxaflo | LC-MS/MS | 0.010 mg/kg |
| Sulprofos | GC-MS/MS | 0.010 mg/kg |
| tau-Fluvalinate | GC-MS/MS | 0.010 mg/kg |
| Tebuconazole | GC-MS/MS | 0.010 mg/kg |
| Tebufenozide | LC-MS/MS | 0.010 mg/kg |
| Tebufenpyrad | LC-MS/MS | 0.010 mg/kg |
| Tebuthiuron | LC-MS/MS | 0.010 mg/kg |
| Tecnazene | GC-MS/MS | 0.010 mg/kg |
| Teflubenzuron | LC-MS/MS | 0.010 mg/kg |
| Tefluthrin | GC-MS/MS | 0.010 mg/kg |
| Temephos | LC-MS/MS | 0.010 mg/kg |
| Tepraloxydim | LC-MS/MS | 0.010 mg/kg |
| Terbacil | GC-MS/MS | 0.010 mg/kg |

| Elenco principi attivi ricercati | Tecnica di prova | LOQ |
|----------------------------------|------------------|-------------|
| Terbufos | GC-MS/MS | 0.010 mg/kg |
| Terbumeton | LC-MS/MS | 0.010 mg/kg |
| Terbuthylazine | GC-MS/MS | 0.010 mg/kg |
| Terbutryn | LC-MS/MS | 0.010 mg/kg |
| 2,3,5,6-Tetrachloroaniline | GC-MS/MS | 0.010 mg/kg |
| Tetrachlorvinphos | GC-MS/MS | 0.010 mg/kg |
| Tetraconazole | LC-MS/MS | 0.010 mg/kg |
| Tetradifon | GC-MS/MS | 0.010 mg/kg |
| 1,2,3,6-Tetrahydrophthalimide | GC-MS/MS | 0.010 mg/kg |
| Tetramethrin | GC-MS/MS | 0.010 mg/kg |
| Thiabendazole | LC-MS/MS | 0.010 mg/kg |
| Thiacloprid | LC-MS/MS | 0.010 mg/kg |
| Thiamethoxam | LC-MS/MS | 0.010 mg/kg |
| Thidiazuron | LC-MS/MS | 0.010 mg/kg |
| Thifensulfuron methyl | GC-MS/MS | 0.010 mg/kg |
| Thiobencarb | LC-MS/MS | 0.010 mg/kg |
| Thiodicarb | LC-MS/MS | 0.010 mg/kg |
| Thiofanox | LC-MS/MS | 0.010 mg/kg |
| Thiophanate-methyl | LC-MS/MS | 0.010 mg/kg |
| Tolclofos methyl | GC-MS/MS | 0.010 mg/kg |
| Tolfenpyrad | GC-MS/MS | 0.010 mg/kg |
| Tolyfluanid | GC-MS/MS | 0.010 mg/kg |
| Tralkoxydim | GC-MS/MS | 0.010 mg/kg |
| Transfluthrin | GC-MS/MS | 0.010 mg/kg |
| Triadimefon | GC-MS/MS | 0.010 mg/kg |
| Triadimenol | GC-MS/MS | 0.010 mg/kg |
| Triallate | GC-MS/MS | 0.010 mg/kg |
| Triazophos | GC-MS/MS | 0.010 mg/kg |
| Trichlorfon | LC-MS/MS | 0.010 mg/kg |
| Triclopyr | GC-MS/MS | 0.010 mg/kg |
| Tricyclazole | GC-MS/MS | 0.010 mg/kg |
| Tridemorph | GC-MS/MS | 0.010 mg/kg |
| Trietazine | GC-MS/MS | 0.010 mg/kg |
| Trifloxystrobin | LC-MS/MS | 0.010 mg/kg |
| Triflumizole | GC-MS/MS | 0.010 mg/kg |
| Triflumuron | LC-MS/MS | 0.010 mg/kg |
| Trifluralin | GC-MS/MS | 0.010 mg/kg |
| Triticonazole | LC-MS/MS | 0.010 mg/kg |
| Tritosulfuron | GC-MS/MS | 0.010 mg/kg |
| Vamidotion | LC-MS/MS | 0.010 mg/kg |
| Vinclozolin | GC-MS/MS | 0.010 mg/kg |
| Zoxamide | LC-MS/MS | 0.010 mg/kg |